



ATV



UTV



SXS



KART



SPRINT



GOLF



LATE MODEL



BUGGY




DOUGLAS WHEEL & TIRE 2012 CATALOG

OVER TWENTY YEARS OF AWARD WINNING INNOVATION



TECHNICAL INFORMATION



WHEEL DESCRIPTION CODE:

8X9 3B+6N 4/110 .125 10MM

- The **8** refers to the wheel diameter, measured from the tire bead seat.
- The **9** refers to the wheel width, measured from inside bead to inside bead.
- The **3B** refers to the width of the inside half, in this case in a BELL shape.
- The **6N** refers to the width of the outside half, in this case in a NOSE shape.
- The **4/110** refers to the bolt pattern. 4 holes, equally spaced on a 110 mm circle.
- The **.125** refers to the thickness of the wheel material, in this case .125 inch thick.
- The **10MM** refers to the size of the bolt hole, in this case 10 mm.

WHEEL HALVES:


DWT wheel halves come in two different shapes, a "BELL" or a "NOSE".

The BELL shape creates the maximum amount of clearance inside the wheel for fitment of brake and steering parts.

The NOSE shape has a small drop center for ease of tire mounting.


BOLT
PATTERN
DESCRIPTION

4 HOLE:
Distance
between
bolt hole
centers.




Ex. 4/110 bp

3 HOLE:
Diameter of
virtual circle
passing through
center of all
3 bolt holes.



Ex. 3/90 bp

5 HOLE:
Distance from
side of one hole
to center of two
bolt holes over.



Ex. 5/4.5 bp

DWT WHEEL STYLE ABBREVIATIONS:

- **IR** refers to INTEGRAL RING (rolled lip half)
- **IB** refers to INTEGRAL BEADLOCK (beadlock half)
- **DBL** refers to DOUBLE (both halves of same lip style)
- **BB** refers to BACK TO BACK (two welded halves)

- **BILLET** refers to BILLET CENTER
- **R** refers to REINFORCED CENTER

Ex. **DBL IB BB R** - A wheel with inner & outer beadlock halves and a welded reinforced center.

TIRE MOUNTING SAFETY WARNING: MOUNTING TIRES CAN BE DANGEROUS IF DONE IMPROPERLY. ONLY TRAINED PERSONNEL, USING THE PROPER TOOLS, SAFETY EQUIPMENT AND SAFETY PRECAUTIONS SHOULD MOUNT TIRES. FAILURE TO FOLLOW RECOMMENDED PROCEDURES MAY VOID YOUR WARRANTY.

1. Use only a clip-on style air chuck with a long extension hose, remote filler and inflation gauge.
2. Using a tire mounting lubricant, lube the tire and rim bead seat.
3. The tire and wheel must be located away from all personnel. Use a solid barrier like a block wall or tire mounting cage between the tire/wheel assembly and the installer.
THE TIRE/WHEEL ASSEMBLY MUST BE OUT OF "LINE OF SIGHT" DURING THE INFLATION PROCESS.
4. Determine the tire's maximum recommended tire inflation pressure.
5. Remove valve core from valve. Inflate the tire until you hear the beads' seat snap, or until you reach the tire manufacturer's maximum recommend tire pressure.
NEVER EXCEED THE TIRE MANUFACTURER'S MAXIMUM TIRE PRESSURE.
6. If the tire beads do not snap, STOP! Release all air from the tire/wheel assembly. Call the manufacturers for help.
7. Once the tire bead is seated, disconnect the chuck, re-install the valve core and inflate to proper operating pressure.

LIMITED WARRANTY NOTICE

WARRANTY COVERAGE: DWT warrants its products to be free from defects in materials & workmanship for a period of 1 year from sale date.

WARRANTY SERVICE: To return an item, please contact us and we will give you a return authorization number. Please include this number on all correspondence with us & make sure the returned items are tagged with this number. All returns must be properly packed & freight prepaid. Should the product be defective we'll, at our option, either repair or replace the item & return it with inbound freight charge credit.

WARRANTY EXCLUSIONS: This warranty does not cover any damage to the product caused by accident, misuse, failure to follow installation and operation instructions, misapplication, and alteration in any fashion including specifically, but not limited to, the installation of reinforcing rings and / or beadlocks not installed by DWT. This warranty does not cover attempted unauthorized repair service by anyone other than DWT. As all of our products are for off road use only, this warranty does not cover any product used on the street or highway.

LIMITATIONS OF WARRANTY: Repair or replacement of the product by us is our sole and exclusive remedy. DWT WILL NOT BE RESPONSIBLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF ANY OF OUR PRODUCTS. THERE ARE NO EXPRESS OR IMPLIED WARRANTIES WHICH EXTEND BEYOND THOSE SET OUT ABOVE. Some states do not allow the exclusion or the limitation of incidental or consequential damages, so some of the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.

1340 North Melrose Drive, Vista, California, 92083
Tel: 760.758.5560 Fax: 760.758-5991

1.800.RACE-RIM

dwtracing.com

INDEX



	ATV	UTV	SXS	KART	GOLF	SPRINT	WIDE 5	BUGGY
A5	7	7	7					
ALUMILITE GC					15			
BUGGY								19
CHAMPION IN A BOX	6							
DIABLO		11	11					
DIABLO BEADLOCK		12	12					
DIRT LATE MODEL							16	
EVO	7	7	7					
G2	5	5	5					
G2 JR	5							
G2DB	5							
KART BLUE LABEL					21			
LITECAST KART					24			
LV KART					23			
MAGTECH HUBS					24			
MINI SPRINT CAR						18		
M-SERIES KART					23			
NITRO			10		15			
Q+ KART				22				
QUATROSPORT		14	14		15			
RATTLESNAKE		13	13					
RHYTHM GC					15			
NEW ROK-OUT	5	4	4					
ROK-OUT JR	5							
NEW ROK'N LOCK	5	4	4					
SECTOR 3-PIECE		3	3					
SPORT BLACK LABEL	8	8	8					
SPORT BLUE LABEL	8	8	8					
SPORT RED LABEL	8	8	8					
NEW ULTIMATE	9	4	4					
SPRINT CAR						17		
DOONZ	33		33					
NEW DOONZ BEACH	33							
GOLF CART					15			
JR MX & JR XC	31							
MOAPA	32	32	32					
MX	25							
XC	27							
GOLDSPEED MX	29							
GOLDSPEED SX	30							
NEW GOLDSPEED BEACH	30							
TECHNICAL INFO	1							
ACCESSORIES/PARTS	34							



OVER 20 YEARS OF BRINGING HIGH PERFORMANCE,
HIGH QUALITY AND HIGH-TECH ROLLING GEAR
TO THE KARTING, OFF-ROAD AND
RACING WORLDS...

KEEP 'EM ROLLIN'!



Over
20
YEARS OF SUCCESS!



ALUMI THE WORLD'S BEST SPUN ALUMINUM WHEELS

SECTOR™
MADE IN U.S.A.

REVOLUTIONARY
3-PIECE WHEEL



SUPER LIGHT WEIGHT!
12" from 9.5 lbs,
14" from 13.75 lbs
with a Load Rating
MUCH HIGHER
than the competition



SECTOR WHEEL SPECS:

- Fully Serviceable True 3 Piece Design
- Super Strong
- Super Lightweight
- Heat Treated 6061 .190 Aluminum
- 12" & 14" Sizes Available
- Many Offsets Possible
- Easy Tire Mounting
- Beadlock or Rolled Lip Outer Halves
- Made in the U.S.A.

Introducing the unique new SECTOR 3 PIECE wheel from DWT. Made in the USA, this awesome new TRUE 3 piece wheel is fully serviceable and constructed of super strong lightweight heat treated 6061 .190 aluminum. All of our heat treatment is done in our factory, assuring a true and proper procedure. The SECTOR consists of two lightweight aluminum wheel halves which bolt to a stylish billet aluminum center. An air tight seal is formed by a strong rubber ring seated in a precision machined groove between each wheel half and the center.

Sector's revolutionary 3 piece design saves you money, space and time by allowing you to separately swap out any piece of the wheel. This allows one initial wheel for different kinds of riding. Imagine the offsets that can now be obtained with one initial wheel! The rolled lip version may transform from a trail wheel to a dune wheel by exchanging it's halves to get a narrow or wide offset.

It also allows easy "in the field" tire mounting. These amazing new wheels are available in DWT's signature "super hoop strength" Rolled Lip and Bead-Lock models. Our bead-lock models employ our exclusive riveted steel nut plate system which allows for quick and easy thread fix.



ALUMI THE WORLD'S BEST SPUN ALUMINUM WHEELS

NEW 12" & 14" UTV/SXS Wheels - Made in the USA



- Stops outside debris from entering, preventing damage to brake lines, caliper and wheel.
- Eliminates stock OEM steel rock guard plates for further convenience and weight reduction.
- Universal built in rock guard—works with all stock front hubs and most aftermarket hubs.
- Integral rock guard stiffens the wheel center.
- Reinforced super strong lip design.
- Tapered lug holes

ROK-OUT & ROK'N LOCK -
• 12" & 14" x 6"-10" widths
• 10" see page 5



LIGHTWEIGHT FOR THE SAND - DURABLE FOR THE TRAIL

- .190 Outer BEADLOCK half
- .190 Inner ROLLED LIP half
- .190 reinforced center plate
- Tapered lug holes
- Optional colored rings:
- polished, shot peened, black, blue, red or green.

The Ultimate lightweight race wheel designed for the increased weight of today's Utility ATVs and SXS Vehicles. Light enough for the sand yet strong enough for the trail.



ALUMI THE WORLD'S BEST SPUN ALUMINUM WHEELS



CHAMPION IN A BOX RACE KITS

MADE IN THE U.S.A.

DWT ROK SERIES - patented revolutionary rock guard wheels.

MADE IN THE U.S.A. US PATENT # 12,833,748



ROK SERIES AWESOME FEATURES:

- Keeps debris out, preventing damage to brake lines, caliper and wheel.
- Eliminates heavy inconvenient stock OEM steel rock guard plates.
- Integral rock guard stiffens the wheel center.
- Reinforced super strong lip design.
- Improved fatigue resistance with shot peened ring.

ROK-OUT & ROK'N LOCK -
• 10x5 4+1 or 3+2 offset

ROK-OUT JR -
• 10x5 4+1 or 3+2 offset

DWT G2 SERIES MADE IN THE U.S.A.

revolutionary beadlock wheels.



G2
- 8x8 3+5 offset
- 9x8 3+5 offset
- 10x8 3+5 offset

bead lock
.160 outer
.190 inner

G2jr - 8x6 2+4 offset

DWT'S NEW TIRES are the perfect match for our ROK & G2 SERIES WHEELS!
- pages 25-28

G2 SERIES AWESOME FEATURES:

- Improved fatigue resistance shot peened ring.
- Reinforced super strong lip design.
- Deep drop center.
- Attached nut plate
- Outer rolled lip on G2

dwtracing.com

JUST LIKE THE PROS USE TO WIN ALL OVER THE WORLD... ALL THE TIME!



GNCC/offroad

KIT CONTAINS:

- 2 - 10x5 (4+1 offset) Rok'N Lock Wheels
- 2 - 9" G2DB Wheels
- 4 DWT Mud Plugs
- 1 Official DWT Hat
- 1 DWT Sticker Kit



MX

KIT CONTAINS:

- 2 - 10x5 (4+1 offset) Rok-Out Wheels
- 2 - 8" G2 Wheels
- 2 DWT Mud Plugs
- 1 Official DWT Hat
- 1 DWT Sticker Kit



WORCS

KIT CONTAINS:

- 2 - 10x5 (4+1 offset) Rok-Out Wheels
- 2 - 9" G2 Wheels
- 2 DWT Mud Plugs
- 1 Official DWT Hat
- 1 DWT Sticker Kit



Jr

KIT CONTAINS:

- 2 - 10x5 (3+2 offset) Rok-Out jr Wheels
- 2 - 8" G2 jr Wheels
- 1 Official DWT Hat
- 1 DWT Sticker Kit



1.800.RACE-RIM

6



ATV

ALUMI THE WORLD'S BEST
SPUN ALUMINUM WHEELS



EVO
MADE IN THE U.S.A.

The stylish & strong EVO conquered a grueling Baja 500 with an out-of-the-box victory.

Built right here in the U.S.A. for the rigors of competition, tortures of enduros and the down right beatings of freestyle. Now STRONGER & LIGHTER with our stylish NEW Trellis reinforcing ring and shot peened for extra endurance, making it the STIFFEST on the market.

SIZES AVAILABLE -
8x8 - 4/110, 4/115
9x8 - 4/110, 4/115
10x5 - 4/144, 4/156
10x8 - 4/110, 4/115



A5
MADE IN THE U.S.A.

NEW
10x10 for
SUPERMOTO/
FLAT TRACK

The most economical and lightweight aluminum ATV wheel made.

The A5's popularity is steadily growing, no doubt due to it's DWT signature performance, quality and great price. This lightweight 5052 aluminum wheel is engineered to be durable yet forgiving. The A5 features our inner & outer rolled lip design, which exceeds the strength of most other .125 thick aluminum wheels.

Available in Polished Finish or Black

SIZES AVAILABLE -
8x6 - 4/110, 4/115
8x8 - 4/4, 4/110, 4/115
9x8 - 4/110, 4/115
10x5 - 4/4, 4/144, 4/156
10x8 - 4/4, 4/110, 4/115
10x10 - 4/110, 4/115

dwtracing.com



ATV

UTV

SXS

ALUMI THE WORLD'S BEST
SPUN ALUMINUM WHEELS

MADE IN THE U.S.A. **SPORT WHEEL SERIES**

THE MOST SUCCESSFUL ATV WHEELS EVER.



Right here in the U.S.A. our designers, engineers & racers have collaborated to create the best possible ATV wheels on the market.

A 17 year evolution of design innovation, metallurgy and forming processes have created wheels with performance and features second to none. With too many wins to list, our SPORT wheels truly are the wheels of champions! These top quality roll forged spun aluminum ATV race wheels are available in several configurations to help you get a top notch wheel that's just right for your application.

6061
[.190]

SPORT RED - MODERATE TO HARD TERRAIN USE
The strongest recreational model of our SPORT wheel line. These roll forged .190 thick 6061 heat treated aircraft grade aluminum wheels are designed for moderate applications.

6061
[.160]

SPORT BLACK - SOFT TO MODERATE USE
Constructed of .160 6061 heat treated aircraft grade aluminum. Extremely strong yet very lightweight giving you maximum strength and minimum rolling mass.

6061
[.125]

SPORT BLUE - SAND OR MINI QUAD USE ONLY
Constructed of .125 6061 heat treated aircraft grade aluminum. Extremely strong yet very lightweight giving you maximum strength and minimum rolling mass.

1.800.RACE-RIM



ATV

ALUMI THE WORLD'S BEST
SPUN ALUMINUM WHEELS



UTV



SXS



GOLF

DWT LITECAST HIGH STYLE AND
HIGH PERFORMANCE

the ULTIMATE - SPORT YELLOW LABEL

MADE IN THE U.S.A.

NEW 12" & 14"
UTILITY WHEELS
see page 4

ULTIMATE
rearULTIMATE
frontULTIMATE CB
rearULTIMATE CB
front

6061
ULTIMATE

The strongest of our SPORT series and the optimal choice for lightweight super strength. Specifically engineered for heavy duty ATV use. Constructed of roll forged 6061 heat treated aircraft grade aluminum. This wheel has one .190 inside half and one .160 outside half.

This champion wheel combines a reinforcement ring with our exclusive hollow rolled lip construction; the lightest way to reinforce the bead area. The ULTIMATE CB is available for added strength and reliability.

- Available in most popular ATV sizes
- Beadlock ring custom colors available (charges apply).



machined

chrome
(While Supplies Last)black chrome
(While Supplies Last)

black

SUPERCHARGED BLING for your UTV, SXS or GOLF CART!

nitro

Our NEWEST cast aluminum wheel's EXPLOSIVE STYLING & HOT PERFORMANCE is sure to burn the competition up with envy. This awesome new wheel is fully loaded with style, performance and signature DWT dependability.

- Center cap INCLUDED
- Lug nuts sold separately

AVAILABLE SIZES -
12x7 [2+5] - 4/4 GOLF
12x7 [2+5] or [4+3] - 4/110
12x7 [2+5] or [4+3] - 4/115
12x7 [2+5] or [4+3] - 4/136
12x7 [2+5] or [4+3] - 4/156



HOT STYLE & PERFORMANCE for your UTV or SXS.

Diablo



machined front



black



black chrome
(While Supplies Last)



chrome
(While Supplies Last)

The Hottest Cast Aluminum Wheels On The Market!

Each wheel is rated at 1000 lbs, which means its strong and good looking! Available in a variety of awesome finishes, the Diablo wheels have the high performance and hot new styling you need!

- Integrated center cap.
- Lug nuts sold separately.
- 12" as light as 10lbs 10ozs
- 14" as light as 14lbs 4ozs

AVAILABLE SIZES -

14x6 [4+2] - 4/110-115, 136.5, 156
14x8 [3+5 or 5+3] - 4/110-115, 136.5, 156
12x7 [2+5 or 4+3] - 4/110-115, 136.5, 156

dwtracing.com



HOT BEADLOCKS for your UTV or SXS.

1,000 lb Load Rating

Diablo BEADLOCK



photo courtesy of
UTVUNDERGROUND.COM



machined front



black rear



photo courtesy of
UTVUNDERGROUND.COM

The Hottest Cast Aluminum Beadlock Wheels On The Market!

Turn the heat up on the competition with your ATV, SXS or PIT VEHICLE. DWT's all new super strong Diablo beadlock wheels have the high performance and hot new styling you need!

- Integrated center cap.
- Lug nuts sold separately.
- As light as 10lbs 13ozs

AVAILABLE SIZES -

12x7 [4+3] - 4/110-115, 136.5, 156
12x7 [2+5] - 4/110-115, 136.5, 156

1.800.RACE-RIM



DIAMONDBACK EDITION **RATTLESNAKE**



Lightweight, Strength and Class at it's best!

Rattlesnake has a super strong reinforced lip for uniform strength. It is constructed of an aluminum alloy with magnesium and titanium elements to achieve a superior performing lightweight wheel.

- Integrated center cap.
- Lug nuts sold separately.
- 12" as light as 9.25lbs
- 14" as light as 11lbs

AVAILABLE SIZES -

12x7 [4+3] - 4/110, 115, 136, 156

12x7 [2+5] - 4/4, 110, 115, 136

14x7 [4+3] - 4/110, 115, 136, 156

14x7 [2+5] - 4/4, 110, 115, 136

QUATROSPORT

While Supplies Last



Stylish & Strong, perfect for all seasons. The QuatroSport signifies the signature style, strength, quality & value that is synonymous with DWT!

AVAILABLE SIZES -

(While Supplies Last)

12x7 [4+3] - 4/136.5

12x7 [4+3] - 4/156

12x7 [2+5] - 4/110-115

12x7 [2+5] - 4/4 (GOLF)

- Center cap included
- Lug nuts sold separately



GOLF CART

ALUMILITE & DWT LITECAST

Whether cruising the links or riding the dunes,
DWT gets you rolling in High Performance and High Style.

GOLFchrome or black chrome
(While supplies last)**NITRO**

EXPLOSIVE STYLING & PERFORMANCE...
This awesome new cast aluminum wheel is
fully loaded with style, performance and
that signature DWT dependability.
• 12X7 [2+5] - 4/4

machined

black

RHYTHM 6C (While supplies last)

DON'T BE ANOTHER BORING STOCKER...
Get that custom look at a low cost with
our blend of high style and performance.

FEATURES: • 10X7 [2+5] - 4/4
• machined or black finish
• lug nuts sold separately

QUATROSPORT (While supplies last)

A STYLISH WHEEL FOR ALL SEASONS...
Lightweight, stylish, high performance & dependable!
• 10X7 [2+5] - 4/4

ALUMILITE 6C

GOLF CART ENGINEERED...
Superior strength lightweight aluminum
conserves battery life which improves
performance and adds classic style.

FEATURES: • 8" & 10" diameters
• many offsets
• dimpled bolt holes for
use with tapered lug nuts



235/30-12

15

205/50-110

18x8.5-8

dwtracing.com

LATE MODEL

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS

DWT Dirt Late Model Wheels

WIDE FIVE

MADE IN THE U.S.A.

dual
rolled liprolled lip
with beadlock**ENGINEERED TO WIN...****DWT W5 wheels are the epitome of a strength to weight ratio.**

These state of the art precision made race wheels are true rolling superior quality and performance.
Made right here in the USA, this lightweight 6061 aluminum wheel is engineered to be durable yet forgiving.
Our dirt late model wheels feature super strong rolled lip construction, lug nut inserts for added durability
and a .190" thick race car grade aluminum body.

AVAILABLE SIZES -

- 15X14 Dual Rolled Lip - P# W571RL
- 15X14 Dual Rolled Lip with Tabs (for covers - sold separately)
- 15X14 Beadlock with inner rolled lip - P# W571CB
 - 4.75+9.25 Offset
 - Black or Polished Beadlock Rings
 - Aluminum Mud Cover w/ Dzus fasteners available

**1.800.RACE-RIM**NEW BILLET
NUT PLATESBEADLOCK RING WITH
ALUMINUM MUD COVER

16



SPRINT CAR

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS



MINI SPRINT

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS

Wheels & Centers

SPRINT CAR

MADE IN THE U.S.A.



rolled lip
with beadlock




NEW BILLET
NUT PLATES

BEADLOCK RING WITH
ALUMINUM MUD COVER



Made and tested right here in the U.S.A. These lightweight 6061 aluminum wheels are engineered with champion features such as rotary forged centers, quick change steel nut plates and heat treated .160 race car grade spun aluminum halves. Our exclusive super strong inward rolled lip construction creates the most hoop strength on the market, which gives our wheels a very strong edge. Our anodized rotary forged 6061 aluminum centers are engineered to be incredibly strong & lightweight, stronger than any billet hub made. For extra durability, zinc coated steel nut plates hold the bead lock ring in place and can be changed out in minutes. Just drill out 6 rivets and quickly change the threads. The most innovative and unique bead lock system in the industry combines great strength and reliability. Unlike the common weld-on bead lock, DWT's exclusive forming process gives you a rim shell and bead lock in a single roll forged half.

FEATURES - 15 X 8 through 18 Sizes Available - all popular offsets
• Polished Aluminum or Black Anodize Finish
• Aluminum mud cover w/ Dzus fasteners available



COLE WHITT
NATIONAL
CHAMPION



dwtracing.com

17

Aluminum Wheel Halves

MINI SPRINT

MADE IN THE U.S.A.



10" PLASTIC
MUD COVERS
AVAILABLE

ALUMILITE
bead lock

ALUMILITE

Lightest, Strongest, and Truest mini sprint wheel halves on the market!

Made right here in the USA, these superior quality lightweight polished aluminum wheels are engineered specifically for Mini Sprint racing. Our lightweight aluminum wheels help extend battery life plus improve performance.

FEATURES:

- .125 or .160 thick 6061 heat treated aluminum
- 10 x 2 through 9 available
- 12/6.75 bolt pattern
- Interchangeable with other brands
- 13" diameter available soon

COLORED RINGS
AVAILABLE



**JR SPRINT
CHAMPION**
**GIOVANNI
SCELZI**
a.k.a.
"HOT SAUCE"

Son of GARY SCELZI
Multi Time NHRA Top Fuel
& Funny Car Champion!

1.800.RACE-RIM

18



BUGGY

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS

Leading the charge on dunes, beaches,
deserts and off road around the world
for 20 years...& counting.

BUGGY WHEELS

If your'e looking for some awesome wheels that can take a pounding and look good doing it, DWT buggy wheels are for you. Made in the U.S.A. from 6061 aircraft-grade aluminum, spun into shape for ease of mounting using Portion-form technology and heat treated to ensure strength where it's needed, these buggy wheels are truly state of the art.



5V RED LABEL

MADE IN THE U.S.A.

Sand-pounding strength
and durability with a
super clean classic style.

- 6061 .190" construction
- Polished Aluminum
- For us with Volkswagon running gear

5V rear

5V front



BILLET CENTER with Beadlock

MADE IN THE U.S.A.

Rugged, Dependable,
High Performance
and High Style!

- 6061 .190" halves
- Billet Aluminum Center
- Competition Beadlock
- Polished Aluminum
- Available in most 15" and 17" configurations.

billet rear

billet front



BUGGY

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS

ALUMILITE SPINDLE MOUNTS

MADE IN THE U.S.A.

Sand-pounding strength,
rugged durability and a
super clean classic style.

- 6061 Polished Aluminum
- Hub bearings not included

SANDSTAR
RED LABEL
- frontSOLID BLUE LABEL
- front

- 6061 .190" inch thick construction
 - CNC machined billet spindle hub
- AVAILABLE IN 5X4 & 15X5.5 SIZES...
- DSM Early Model King Pin Front End/Through 1965
 - DSM Late Model Ball Joint Front End/After 1965
 - DSM Large Bearing

- 6061 .125" inch thick construction
 - High-luster polished aluminum finish
- AVAILABLE IN 15X4 SIZES...
- DSM Early Model King Pin Front End/Through 1965
 - DSM Late Model Ball Joint Front End/After 1965



OFF-ROAD BUGGY

MADE IN THE U.S.A.

Engineered
Specifically For
Closed Course
Buggy Racing.

front

rear

The PERFECT Choice for closed course racing in the Super Buggy or Single Buggy Classes.
Super strong lightweight aluminum with our patented rolled lip construction.
Also available with mud covers to keep that roost out.

- 15X4 and 15X5 Rolled Lips
- 15X6 and 15X9 Beadlocks
- Beadlocks Available
- Mud Covers Available

JOHN HOLMES
2010 GLEN HELEN
PRO BUGGY CHAMPION





KART

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELSThe Championship Winning Industry Standard
For Over A Decade and Going STRONG!**BLUE LABEL KART**polished spindle
mountpolished
standardblack spindle
mountblack
standard

As the industry leader, DWT AlumiLite wheels represent two decades of evolution in design innovation, metallurgy and proprietary forming processes that create wheels with champion performance characteristics. DWT AlumiLite kart wheels are the highest performing spun aluminum kart wheels in the world.

STANDARD FITMENTS:

5 X: 3.25, 4, 5, 6.5, 7.75 through 9.25

6 X: 3.25, 5, 6, 6.25, 7.25, 8.25, 8.5,
9, 9.25, 9.5, 9.75 and 10

SPINDLE MOUNT FITMENTS:

5 X 5 or 5 X 120mm

BARBED BEAD SEAT- Helps prevent side load & low pressure debearing
6 X: 6.5, 8, 9 and 10

KART

ALUMILITE THE WORLD'S BEST
SPUN ALUMINUM WHEELS

The Truest Spinning, Most Precise Kart Wheels Ever!



machined

black

Q+ design increases compression strength and improves mounting and dismounting ease. Constructed from oversized spun aluminum halves welded together and fully machined to size. BluePrint design & machining keeps Q+ tolerances within +.005 inch, making it the truest running wheel made. Q+ strength-to-weight ratio is optimized by our exclusive process that enables us to reinforce stress areas and lighten non-stress areas for optimum weight and performance.

Q+ FITMENTS:

6 X: 5, 5.5, 6, 6.5, 7, 8.25, 8.5, 8.75, 9.25 and 10

DANIEL SIMMONS
ULTRAMAX CHAMP KARTING RACER



KART

M SERIESChampions Worldwide Agree...We Lead
The World In Magnesium Wheel Technology!

KART

DWT LITECAST HIGH STYLE AND
HIGH PERFORMANCE**DWT LITECAST**™ KART

solid

vented

vented spindle

M-SERIES

A product of our commitment to technology, innovation and development, its record setting success have redefined magnesium wheel technology. We've applied our Portion-form technology to our high pressure magnesium cast process to create incredibly strong, light-weight wheels that enable you to manage heat, tire wear, grip and handling.

SOLID & VENTED FITMENTS: VENTED SPINDLE FITMENTS:

5 X: 130, 132, 138, 140, 180, 5 X 130mm or 5 X 132mm
182, 210, 212, and 214mm

SE KART

SE Magnesium wheels are designed specifically for Non-Gearbox Karting, where a delicate balance between brute traction and a free rolling nature is important. The super drop center design incorporates a little flex, while the rapid increase in diameter of the bell section reduces air volume and increases tire cooling capacity. SE also features a solid center designed to accept DWT MagTech Hubs, for the ultimate in wheel to hub surface area. This interface can be used with DWT MagTech Hubs to maximize stiffness and grip, or with a variety of OEM triangle style hubs to increase flex and reduce tire binding. SE series adds up to be a very tunable combination for those direct drive or lower horsepower Classes.

SE FITMENTS:

5 X: 130, 132, 180, 182, 212 and 214mm



LV KART

The "Low Volume" reduces gas volume around the wheel which allows lower initial pressure and promoting lower final tire temperatures. The LV series has thinner wheel walls of a larger diameter, improving heat transfer rates through more cooling surface area. Extra cooling helps stabilize and regulate temperature and pressure rise for better and longer tire performance.

FRONT FITMENTS: REAR FITMENTS:

5 X 130mm 5 X 212mm
5 X 132mm 5 X 214mm
5 X 180mm junior

front

rear

dwtracing.com

Litecast vented

Litecast
vented spindle


JUST LIKE OUR HIGH PERFORMANCE MAG WHEELS
BUT IN CAST ALUMINUM. The perfect solution for
non magnesium wheels. Also great for club and rain.

VENTED FITMENTS:

5X: 110, 120, 130, 180 & 210MM

VENTED SPINDLE FITMENTS:

5 X 110 or 130MM

DWT MagTech HUBS • WORLD CHAMPIONSHIP WINNING
• Precision machined solid magnesium

3 bolt - 50mm x 116mm

2 bolt - 50mm x 100mm

1 bolt - 50mm x 100mm



ATV

DWT TIRES

ENGINEERED FOR
MAXIMUM PERFORMANCE



ATV

DWT TIRES

ENGINEERED FOR
MAXIMUM PERFORMANCE



SERIES TIRES
from DWT

ENGINEERED FOR MAXIMUM PERFORMANCE.

- Track Tested and Race Proven
- Full race and standard models
- Advanced carcass technology

FRONT TIRE SPECS:

- 20X6-10
- STANDARD or MEDIUM COMPOUND
- MXF V2 available in 2 PLY
- MXF V3 available in 6 PLY



JOSH ROW
TEAM YAMAHA



25

dwtracing.com

JOSH UPPERMAN
BALDWIN MOTORSPORTS

DWT TIRES and CHAMPION IN A BOX race kits...
the stuff of CHAMPIONS!

CHAMPION IN A BOX
RACE KITS
- page 6



REAR TIRE SPECS:

- 18X10-8
- MXR V1 available in either 2 or 4 PLYS in STANDARD or MEDIUM COMPOUNDS.
- MXR V3 is available in 4 PLY in MEDIUM or SOFT COMPOUNDS.
- MXR V4 is available in 4 PLY in STANDARD, MEDIUM or SOFT COMPOUNDS.



1.800.RACE-RIM

26



SERIES TIRES
from DWT

ENGINEERED FOR MAXIMUM PERFORMANCE.

- Track Tested and Race Proven
- Full race and standard models
- Advanced carcass technology

XC V1 SERIES TIRE SPECS:

- XCF V1
 - 21X7-10
 - STANDARD COMPOUND
 - 6 PLY CONSTRUCTION
- XCR V1
 - 20X11-9
 - STANDARD or MEDIUM COMPOUNDS
 - 6 PLY CONSTRUCTION

DWT TIRE COMPOUNDS:



DWT TIRE COMPOUNDS:



XCF V1

XCR V1



DUSTIN NELSON
TEAM YAMAHA



DWT TIRES are perfect with a
CHAMPION IN A BOX RACE KIT

page 6

27

dwtracing.com

DWT TIRES and a CHAMPION IN A BOX race kit... **the stuff of CHAMPIONS!**

DILLON ZIMMERMAN
TEAM MOTOWORKS CAN-AM



DWT TIRE COMPOUNDS:



DWT TIRE COMPOUNDS:



XCF V2

XCR V2

- Track Tested and Race Proven
- Full race and standard models
- Advanced carcass technology

XC V2 SERIES TIRE SPECS:

- XCF V2
 - 21X6-10
 - STANDARD COMPOUND
 - 6 PLY CONSTRUCTION
- XCR V2
 - 20X10-9
 - STANDARD, MEDIUM or SOFT
 - 6 PLY CONSTRUCTION
 - **LIGHTWEIGHT** - Only 12 Lbs

28

1.800.RACE-RIM



ATV



ATV

MXF

MXR



The Goldspeed MX line features aggressive tread patterns in 10" wide sizes. These tires are the optimal choice for moderate to hard terrain.

MXF & MXR SPECS:

- 6 Ply PPM sidewall
- Stability and cornering grip
- MX hard, Medium or Soft compounds
- MXF also in XC medium compound
- Extreme braking power
- Modern design sidewall



GOLDSPEED Tires with a DWT
CHAMPION IN A BOX RACE KIT -
A WINNING COMBINATION!
- page 6

GOLDSPEED COMPOUNDS



MXR2

SPECS:

- 6 Ply PPM sidewall
- Stability & cornering grip
- MX medium compound
- Super contact flat tread
- Modern design sidewall

MXR XC

SPECS:

- 6 Ply PPM sidewall
- Stability & cornering grip
- XC medium compound
- Super contact flat tread
- Modern design sidewall

GOLDSPEED COMPOUNDS



GOLDSPEED COMPOUNDS



SXF

SXR



GOLDSPEED Tires with a DWT
CHAMPION IN A BOX RACE KIT -
A WINNING COMBINATION!
- page 6

Goldspeed SX features aggressive tread patterns in 10" wide sizes and are the optimal choice for soft to moderate terrain.

- 6 Ply PPM sidewall
- High grip knob
- Modern design sidewall
- Stability and cornering grip
- SX Front available in:
 - MX medium or soft compound
 - XC medium compound
- SX Rear available in:
 - MX medium compound
 - XC medium compound

GOLDSPEED COMPOUNDS



GOLDSPEED COMPOUNDS



NEW! SX BEACH - Front Tire

SPECS:

- 23x6-10
- 2 Ply PPM sidewall
- Superior Steerability
- Modern design sidewall
- 10 lbs 1.55 ozs

Goldspeed SX BEACH TIRES are the optimal choice for sand and soft surfaces.





ATV

DWT TIRES ENGINEERED FOR
MAXIMUM PERFORMANCE



UTV



SXS



GOLF

DWT TIRES ENGINEERED FOR
MAXIMUM PERFORMANCE



SERIES TIRES
from DWT

JUST LIKE THE BIG CHAMPS USE...
BUT DESIGNED & ENGINEERED
FOR THE **CHAMPS OF THE FUTURE**



JR RACE KIT - p. 6

JR MX SERIES TIRE SPECS:

- 2 PLY CONSTRUCTION
- JR MXF - 19X6-10
- STANDARD COMPOUND
- JR MXR - 18X7-8
- MEDIUM COMPOUND

DWT TIRE COMPOUNDS:



JTF-XC

JTR-XC

JR XC SERIES TIRE SPECS:

- 2 PLY CONSTRUCTION
- STANDARD COMPOUND
- JR XCF - 19X6-10
- JR XCR - 18X6-8

BUDDY WILLIAMS
BUDDY WILLIAMS RACING



31

dwtracing.com

DWT TIRE COMPOUNDS:



JTF-MX

DWT TIRE COMPOUNDS:



JTR-MX



MOAPA

THE NEW DWT MOAPA UTILITY TIRE

After a long period of designing, engineering and testing; the all new DWT MOAPA UTILITY TIRE is here! It's aggressive tread and top notch construction are sure to make it the best utility tire on the market.

The DWT MOAPA tire's wide contact patch gives it the right amount of traction in many applications. The MOAPA's awesome looking and awesome performing sidewall design is full of protection with it's unique wrapped tread design. It's lightweight bias ply construction makes acceleration easy without draining power. The 6 ply specially engineered carcass design gives a high performance smooth ride.

MOAPA TIRE SPECS:

- 6 PLY CONSTRUCTION
- 12" SIZES AVAILABLE:
- 25X8 or 25X10
- 26X9 or 26X11
- 14" SIZES AVAILABLE:
- 26X9 or 26X11
- 28X11 or 28X12

NEW
RUN - FLAT MODEL
12 PLY RATED
26X9-12

MARK HOLZ
HOLZ RACING

WON 2011 WORCS
SEASON OPENER!
1ST SXS WIN FOR A
CAN-AM COMMANDER



DWT MOAPA UT TIRES are a perfect
mate with our Revolutionary new UTV
and SXS WHEELS! - page 3-4

1.800.RACE-RIM

32



FLOAT ACROSS THE SAND
WITH DWT'S NEW **SUPER
LIGHT DOONZ SAND TIRES!**

**NEW DOONZ HD
6-PLY RATED
-25.5X13-12**

- Experience the difference immediately with our new HD 6-PLY RATED REAR SAND TIRE
- Achieve **AWESOME STEERABILITY, SPEEDY CLIMBING & MAXIMUM FLOTATION** when paired with DWT ALUMILITE 10" Wheels!

The **NEW** rear HD DOONZ tire offers **INCREASED RIGIDITY** and **DURABILITY** with its 6-ply rated construction. At only a 2 pound average addition in weight to its 4-ply rated predecessor, the new HD DOONZ is perfect for higher horsepower vehicles and heavier weights of UTVs such as the CAN-AM COMMANDER and POLARIS RANGER RZR XP.

10" SPECS:

- 21.5x8-10 front, 9.5 lbs
- 21x11-10 left rear, 14.6 lbs
- 21x11-10 right rear, 14.6 lbs

12" SPECS:

- 25.5x11-12 front, 13.9 lbs
- 25.5x13-12 rear, 15.2 lbs



NEW DOONZ-BEACH

The **NEW** DWT REAR DOONZ-BEACH TIRE is available in a 4 ply rating for those high horse power vehicles. It has been run in all European beach races and has won many, including Le Touquet 2011.

SPECS:

- 22x10-10
- 4 ply rated
- 14lbs 1 oz

DWT STICKERS



STICKER SHEET
• 3 - 3.25" x 5"
• 5 - 2.875" x 2"

CIB DECAL KIT
- As included with our CIB RACE Kit

TRAILER STICKER
- 13" x 8.5"

HEAVY DUTY STICKER
- 5" x 3.75"

DWT EMROIDERED PATCHES

DWT Color 4" x 2.75"
DWT Grey 2.5" x 1.75"



DWT COMPETITION BEAD LOCK RINGS
- Specific 8", 9", 10", 12" & 14"
- Polished Aluminum Finish
Colored finishes available at extra charge.



LUG NUTS

Polished or Black Finish available on most sizes.

- 10x1.25 mm NUT (shown)
- 10x1.25 mm FLAT NUT
- 3/8" - 24 NUT
- 1/2" - 20 NUT (polished only)
- 12x1.25 mm NUT



DWT MUD PLUGS
Specific 8", 9" & 10" bead lock wheels



METRIC & STANDARD NUT PLATE KITS

8", 9", 10" and 12" kit includes
Standard: 6 nut plates, 12 bolts/washers
Metric: 4 nut plates, 12 bolts, 8 rivets
- ALSO SOLD SEPARATELY
- 12" not available in metric



FLEXFIT® DWT RACING BASEBALL CAPS
Small/Medium or Large/XLarge.



DWT T-SHIRTS
Navy Blue.
Most sizes. While supplies last.



dwtracing.com

| 1.800.Race.Rim

DOUGLAS TECHNOLOGIES GROUP INC.
1340 NORTH MELROSE DRIVE,
VISTA, CA 92083